



PRODUCT NUMBER: 2232270

POLYTRIL™ AIR

Handling of fine products in a greasy, damp or dirty atmosphere.
General handling of building and public works, mechanical handling in the automotive industry.

Overview

Reference Number

2232270

Product Type

Gloves

Range

General purpose

Line

Light & medium handling

Brand

Honeywell

Brand formerly known as

SPERIAN

Industry

- Automotive and Part Manufacturer
- Aviation
- Building and Construction
- Energy or Electricity
- Iron and steel industry
- Maintenance
- Metal steel
- Mining and Quarrying
- Petrochemical
- Services
- Ship Building
- Telecoms
- Transportation
- Utilities
- Water treatment
- Wood Industries

Product Use

Handling of fine products in a greasy, damp or dirty atmosphere.

General handling of building and public works, mechanical handling in the automotive industry.

Features & Benefits

Feature

Black polyamide knitted glove
Black foam nitrile coating on palm and fingertips
Elastic knitted wrist

Benefit

COMFORT

The ergonomic seamless knit construction conforms better to the natural shape of the hand for greater strength and durability, superior comfort and ventilation.
With their ergonomical design the gloves conform to the the natural shape of the hand for a more comfortable fit and enable longer use and less fatigue.

RESISTANCE

The filament yarn reduces linting for the most sensitive applications and can be easily laundered for extended use.
The foam nitrile coating provides superior and excellent grip and abrasion resistance.

HYGIENE

The black color makes the glove less dirty.
The open back provides superior ventilation.

Technical Description

Description

CE CATEGORY : II Intermediary risks
In accordance with standards :
EN 420-2003 Basic standards
EN 388-2003 Mechanical hazards

CHARACTERISTICS :

Black polyamide knitted glove
Black foam nitrile coating on palm and fingertips
Elastic knitted wrist

Product Technology

Knitted Coated

Gauge

13

Glove/liner color

Black

Coating Type

Polyamide and nitrile

Length

24,5 cm

Harmlessness

In conformity with the European standards.

Dexterity

Class 5

Sizes

6 à 11

EN 388 - Mechanical Hazards Abrasion Resistance


Abrasion resistance	4
Cutting resistance	1
Tear resistance	2
Puncture resistance	1

Packaging Label

Tagging

CE Honeywell
 2232270 XX
 EN 420
 EN 388 : 4121

Certifications

 **E.C. Declaration of Conformity**

EC Category PPE

2


Quality Assurance

ISO 9001 / 2000

EC Certificate Number

0075/797/162/05/07/0193


EC Attestation

 EC Attestation

EC Attestation Number

0075/797/162/05/07/0193

Photos & Images

 **PIC SKU - Pictures**

<http://www.honeywellsafety.com/assets/0/324/500/51887/6781288e879f42e0925c7255f13bda31.jpg>

Additional Information

User Manual

UI 102

User Information Sheet

102

Maintenance

Storage Information

Minimum packaging : 10 pairs.

Cartons of 100 pairs.

Care Instructions

This article can be cleaned. For cleaning instructions, please contact Sperian Protection.



View other region sites
© 2013 Honeywell International Inc.

ERIKS Pte. Ltd.
(Reg. No. 197901212E)
8, Tuas Loop,
Singapore 637344.
T +65 6272 2405
F +65 6274 1706
E sales@eriks.com.sg
I www.eriks.com.sg